

Material Safety Data Sheet

May be used to comply with
 OSHA'S Hazard Communication Standard.
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved OMB No. 1218-0072

IDENTITY (As Used on label and list) SPARLITE 50	Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.
--	--

SECTION I

Manufacture's Name: SPAR, INC	Emergency Telephone Number: 256-435-9342
Address (Number, Street, City, State and Zip Code P.O. Box 909	Telephone Number for information: 256-435-9342
917 Francis Street	Date Prepared: January 5, 2003
Jacksonville, Alabama 36265	Signature of Preparer(optional)

SECTION II - Hazardous Ingredients/Identity Information:

Hazardous Components	Cas No.	%	ACGIH TLV	LD ₅₀	LC ₅₀
Crystalline Silica (Total)	N/A	30 – 40	N/A	N/A	N/A
Above includes:Quartz	14808-60-7		0.1 mg/m ³	N/A	N/A
Cristobalite	14464-46-1		0.05 mg/m ³	N/A	N/A
Tridymite	15468-32-3		0.05 mg/m ³	N/A	N/A
Calcium Aluminate Cement	12042-68-1	15 - 25	10 mg/m ³	N/A	N/A

Threshold Limit Value for respirable dust containing crystalline silica:

OSHA PEL: 10 divided by (% Quartz + 2(% Tridymite + Cristobalite) in terms of mg/m³

CALIFORNIA RESIDENTS: This product contains one or more chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

SECTION III- Physical/Chemical Characteristics:

Boiling Point	N/A	Specific Gravity (g/cc)	1.4
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR-1)	N/A	Evaporation Rate (Butyl Acetate- 1)	N/A

Solubility in Water: VERY LOW

Appearance and Odor: DRY SANDY TO POWDER - NO ODOR

Section IV - Fire and Explosion Hazard Data:

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A
----------------------------------	-------------------------	------------	------------

Extinguishing Media: IGNITION UNLIKELY - ANY MEDIA

Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: N/A

